

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	1	5
		% within Sex	.5%	.4%	.5%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	13-19	Count	16	10	26
		% within Sex	2.1%	4.2%	2.6%
	20-24	Count	78	27	105
		% within Sex	10.3%	11.3%	10.6%
	25-29	Count	117	44	161
		% within Sex	15.5%	18.3%	16.2%
	30-34	Count	134	47	181
		% within Sex	17.8%	19.6%	18.2%
	35-39	Count	149	45	194
		% within Sex	19.8%	18.8%	19.5%
	40-44	Count	124	22	146
		% within Sex	16.4%	9.2%	14.7%
	45-49	Count	69	26	95
		% within Sex	9.2%	10.8%	9.6%
	50-54	Count	33	14	47
		% within Sex	4.4%	5.8%	4.7%
	55-59	Count	15	2	17
		% within Sex	2.0%	.8%	1.7%
	60-64	Count	9	0	9
		% within Sex	1.2%	.0%	.9%
	65-69	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Unknown	Count	2	0	2
		% within Sex	.3%	.0%	.2%
Total		Count	754	240	994
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	357	39	396
		% within Sex	47.3%	16.3%	39.8%
	African American	Count	239	163	402
		% within Sex	31.7%	67.9%	40.4%
	Hispanic	Count	140	32	172
		% within Sex	18.6%	13.3%	17.3%
	Asian-Pacific Islander	Count	13	4	17
		% within Sex	1.7%	1.7%	1.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	3	1	4
		% within Sex	.4%	.4%	.4%
	Total	Count	754	240	994
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	475	0	475
		% within Sex	63.0%	.0%	47.8%
	IDU	Count	25	20	45
		% within Sex	3.3%	8.3%	4.5%
	M-M & IDU	Count	10	0	10
		% within Sex	1.3%	.0%	1.0%
	Heterosexual Contact	Count	7	49	56
		% within Sex	.9%	20.4%	5.6%
	Transfusion	Count	1	2	3
		% within Sex	.1%	.8%	.3%
	Not Classified	Count	230	167	397
		% within Sex	30.5%	69.6%	39.9%
	Ped Parent at Risk	Count	6	2	8
		% within Sex	.8%	.8%	.8%
	Total	Count	754	240	994
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	0	395	1	396
		% within Adult-Ped	.0%	40.1%	50.0%	39.8%
	African American	Count	6	395	1	402
		% within Adult-Ped	75.0%	40.1%	50.0%	40.4%
	Hispanic	Count	2	170	0	172
		% within Adult-Ped	25.0%	17.3%	.0%	17.3%
	Asian-Pacific Islander	Count	0	17	0	17
		% within Adult-Ped	.0%	1.7%	.0%	1.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	4	0	4
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	8	984	2	994
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	13-19	Count	18	15	33
		% within Sex	1.7%	5.3%	2.4%
	20-24	Count	89	32	121
		% within Sex	8.2%	11.3%	8.9%
	25-29	Count	112	45	157
		% within Sex	10.4%	16.0%	11.5%
	30-34	Count	191	44	235
		% within Sex	17.7%	15.6%	17.3%
	35-39	Count	249	60	309
		% within Sex	23.1%	21.3%	22.7%
	40-44	Count	209	51	260
		% within Sex	19.4%	18.1%	19.1%
	45-49	Count	105	14	119
		% within Sex	9.7%	5.0%	8.7%
	50-54	Count	58	9	67
		% within Sex	5.4%	3.2%	4.9%
	55-59	Count	34	2	36
		% within Sex	3.1%	.7%	2.6%
	60-64	Count	8	5	13
		% within Sex	.7%	1.8%	1.0%
	65-69	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Unknown	Count	3	2	5
		% within Sex	.3%	.7%	.4%
Total		Count	1080	282	1362
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	574	79	653
		% within Sex	53.1%	28.0%	47.9%
	African American	Count	324	168	492
		% within Sex	30.0%	59.6%	36.1%
	Hispanic	Count	165	33	198
		% within Sex	15.3%	11.7%	14.5%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	.8%	.4%	.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.2%	.4%	.2%
	Not Specified	Count	6	0	6
		% within Sex	.6%	.0%	.4%
	Total	Count	1080	282	1362
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	762	0	762
		% within Sex	70.6%	.0%	55.9%
	IDU	Count	46	37	83
		% within Sex	4.3%	13.1%	6.1%
	M-M & IDU	Count	36	0	36
		% within Sex	3.3%	.0%	2.6%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	31	139	170
		% within Sex	2.9%	49.3%	12.5%
	Transfusion	Count	2	3	5
		% within Sex	.2%	1.1%	.4%
	Not Classified	Count	200	101	301
		% within Sex	18.5%	35.8%	22.1%
	Ped Parent at Risk	Count	2	2	4
		% within Sex	.2%	.7%	.3%
	Total	Count	1080	282	1362
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	0	652	1	653
		% within Adult-Ped	.0%	48.2%	20.0%	47.9%
	African American	Count	4	485	3	492
		% within Adult-Ped	100.0%	35.8%	60.0%	36.1%
	Hispanic	Count	0	197	1	198
		% within Adult-Ped	.0%	14.6%	20.0%	14.5%
	Asian-Pacific Islander	Count	0	10	0	10
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	6	0	6
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	4	1353	5	1362
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	19	14	33
		% within Sex	.5%	1.3%	.7%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.4%	.1%
	2-4	Count	5	2	7
		% within Sex	.1%	.2%	.1%
	5-12	Count	9	5	14
		% within Sex	.2%	.5%	.3%
	13-19	Count	54	75	129
		% within Sex	1.5%	7.2%	2.7%
	20-24	Count	328	145	473
		% within Sex	8.9%	13.9%	10.0%
	25-29	Count	552	186	738
		% within Sex	14.9%	17.8%	15.6%
	30-34	Count	724	182	906
		% within Sex	19.6%	17.4%	19.1%
	35-39	Count	824	178	1002
		% within Sex	22.3%	17.0%	21.1%
	40-44	Count	587	119	706
		% within Sex	15.9%	11.4%	14.9%
	45-49	Count	307	64	371
		% within Sex	8.3%	6.1%	7.8%
	50-54	Count	157	45	202
		% within Sex	4.2%	4.3%	4.3%
	55-59	Count	80	12	92
		% within Sex	2.2%	1.1%	1.9%
	60-64	Count	36	7	43
		% within Sex	1.0%	.7%	.9%
65-69	Count	8	4	12	
	% within Sex	.2%	.4%	.3%	
70+	Count	4	1	5	
	% within Sex	.1%	.1%	.1%	
Unknown	Count	5	2	7	
	% within Sex	.1%	.2%	.1%	
Total		Count	3700	1045	4745
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1886	217	2103
		% within Sex	51.0%	20.8%	44.3%
	African American	Count	1177	674	1851
		% within Sex	31.8%	64.5%	39.0%
	Hispanic	Count	568	143	711
		% within Sex	15.4%	13.7%	15.0%
	Asian-Pacific Islander	Count	41	6	47
		% within Sex	1.1%	.6%	1.0%
	Am Indian-Alaskan	Count	13	3	16
		% within Sex	.4%	.3%	.3%
	Not Specified	Count	15	2	17
		% within Sex	.4%	.2%	.4%
	Total	Count	3700	1045	4745
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2524	0	2524
		% within Sex	68.2%	.0%	53.2%
	IDU	Count	145	148	293
		% within Sex	3.9%	14.2%	6.2%
	M-M & IDU	Count	188	0	188
		% within Sex	5.1%	.0%	4.0%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	91	320	411
		% within Sex	2.5%	30.6%	8.7%
	Transfusion	Count	6	7	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	709	545	1254
		% within Sex	19.2%	52.2%	26.4%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	28	23	51
		% within Sex	.8%	2.2%	1.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	Total	Count	3700	1045	4745
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas



Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	13	2088	2	2103
		% within Adult-Ped	22.0%	44.6%	28.6%	44.3%
	African American	Count	33	1814	4	1851
		% within Adult-Ped	55.9%	38.8%	57.1%	39.0%
	Hispanic	Count	12	698	1	711
		% within Adult-Ped	20.3%	14.9%	14.3%	15.0%
	Asian-Pacific Islander	Count	1	46	0	47
		% within Adult-Ped	1.7%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	16	0	16
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	17	0	17
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	59	4679	7	4745
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	18	14	32
		% within Sex	.5%	1.4%	.7%
	1 (12-23 mo)	Count	1	4	5
		% within Sex	.0%	.4%	.1%
	2-4	Count	5	2	7
		% within Sex	.1%	.2%	.1%
	5-12	Count	9	4	13
		% within Sex	.2%	.4%	.3%
	13-19	Count	54	75	129
		% within Sex	1.5%	7.3%	2.8%
	20-24	Count	326	143	469
		% within Sex	9.0%	13.9%	10.0%
	25-29	Count	548	186	734
		% within Sex	15.1%	18.0%	15.7%
	30-34	Count	718	180	898
		% within Sex	19.8%	17.4%	19.2%
	35-39	Count	808	174	982
		% within Sex	22.2%	16.9%	21.0%
	40-44	Count	578	118	696
		% within Sex	15.9%	11.4%	14.9%
	45-49	Count	298	62	360
		% within Sex	8.2%	6.0%	7.7%
	50-54	Count	147	44	191
		% within Sex	4.0%	4.3%	4.1%
	55-59	Count	77	12	89
		% within Sex	2.1%	1.2%	1.9%
	60-64	Count	33	7	40
		% within Sex	.9%	.7%	.9%
	65-69	Count	7	4	11
		% within Sex	.2%	.4%	.2%
	70+	Count	3	1	4
		% within Sex	.1%	.1%	.1%
	Unknown	Count	5	2	7
		% within Sex	.1%	.2%	.1%
Total		Count	3635	1032	4667
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	2	0	2
		% within Sex	.1%	.0%	.0%
	2-4	Count	8	5	13
		% within Sex	.2%	.5%	.3%
	5-12	Count	13	12	25
		% within Sex	.4%	1.2%	.5%
	13-19	Count	25	32	57
		% within Sex	.7%	3.1%	1.2%
	20-24	Count	173	106	279
		% within Sex	4.8%	10.3%	6.0%
	25-29	Count	410	174	584
		% within Sex	11.3%	16.9%	12.5%
	30-34	Count	610	191	801
		% within Sex	16.8%	18.5%	17.2%
	35-39	Count	823	177	1000
		% within Sex	22.6%	17.2%	21.4%
	40-44	Count	745	158	903
		% within Sex	20.5%	15.3%	19.3%
	45-49	Count	429	84	513
		% within Sex	11.8%	8.1%	11.0%
	50-54	Count	213	48	261
		% within Sex	5.9%	4.7%	5.6%
	55-59	Count	106	25	131
		% within Sex	2.9%	2.4%	2.8%
	60-64	Count	50	12	62
		% within Sex	1.4%	1.2%	1.3%
	65-69	Count	19	4	23
		% within Sex	.5%	.4%	.5%
	70+	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	Unknown	Count	1	1	2
		% within Sex	.0%	.1%	.0%
Total		Count	3635	1032	4667
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1856	214	2070
		% within Sex	51.1%	20.7%	44.4%
	African American	Count	1152	666	1818
		% within Sex	31.7%	64.5%	39.0%
	Hispanic	Count	560	142	702
		% within Sex	15.4%	13.8%	15.0%
	Asian-Pacific Islander	Count	41	5	46
		% within Sex	1.1%	.5%	1.0%
	Am Indian-Alaskan	Count	11	3	14
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	15	2	17
		% within Sex	.4%	.2%	.4%
	Total	Count	3635	1032	4667
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2490	0	2490
		% within Sex	68.5%	.0%	53.4%
	IDU	Count	140	146	286
		% within Sex	3.9%	14.1%	6.1%
	M-M & IDU	Count	186	0	186
		% within Sex	5.1%	.0%	4.0%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	90	318	408
		% within Sex	2.5%	30.8%	8.7%
	Transfusion	Count	6	7	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	687	537	1224
		% within Sex	18.9%	52.0%	26.2%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	27	22	49
		% within Sex	.7%	2.1%	1.0%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	Total	Count	3635	1032	4667
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	12	2056	2	2070
		% within Adult-Ped	21.1%	44.7%	28.6%	44.4%
	African American	Count	32	1782	4	1818
		% within Adult-Ped	56.1%	38.7%	57.1%	39.0%
	Hispanic	Count	12	689	1	702
		% within Adult-Ped	21.1%	15.0%	14.3%	15.0%
	Asian-Pacific Islander	Count	1	45	0	46
		% within Adult-Ped	1.8%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	14	0	14
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	17	0	17
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Total	Count	57	4603	7	4667
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	2	4
		% within Sex	.3%	1.2%	.5%
	20-24	Count	23	5	28
		% within Sex	3.6%	2.9%	3.5%
	25-29	Count	57	24	81
		% within Sex	9.0%	14.1%	10.0%
	30-34	Count	101	23	124
		% within Sex	15.9%	13.5%	15.4%
	35-39	Count	173	51	224
		% within Sex	27.2%	30.0%	27.8%
	40-44	Count	137	22	159
		% within Sex	21.5%	12.9%	19.7%
	45-49	Count	70	16	86
		% within Sex	11.0%	9.4%	10.7%
	50-54	Count	35	13	48
		% within Sex	5.5%	7.6%	6.0%
	55-59	Count	22	8	30
		% within Sex	3.5%	4.7%	3.7%
	60-64	Count	10	4	14
		% within Sex	1.6%	2.4%	1.7%
	65-69	Count	1	1	2
		% within Sex	.2%	.6%	.2%
	70+	Count	4	1	5
		% within Sex	.6%	.6%	.6%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total	Count	636	170	806	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Dallas

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	268	28	296
		% within Sex	42.1%	16.5%	36.7%
	African American	Count	228	116	344
		% within Sex	35.8%	68.2%	42.7%
	Hispanic	Count	130	24	154
		% within Sex	20.4%	14.1%	19.1%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	1.4%	.6%	1.2%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.2%	.6%	.2%
Total	Count	636	170	806	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	411	0	411
		% within Sex	64.6%	.0%	51.0%
	IDU	Count	32	17	49
		% within Sex	5.0%	10.0%	6.1%
	M-M & IDU	Count	23	0	23
		% within Sex	3.6%	.0%	2.9%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	14	37	51
		% within Sex	2.2%	21.8%	6.3%
	Transfusion	Count	1	3	4
		% within Sex	.2%	1.8%	.5%
	Not Classified	Count	154	113	267
		% within Sex	24.2%	66.5%	33.1%
Total	Count	636	170	806	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Dallas

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	295	1	296
		% within Adult-Ped	36.6%	100.0%	36.7%
	African American	Count	344	0	344
		% within Adult-Ped	42.7%	.0%	42.7%
	Hispanic	Count	154	0	154
		% within Adult-Ped	19.1%	.0%	19.1%
	Asian-Pacific Islander	Count	10	0	10
		% within Adult-Ped	1.2%	.0%	1.2%
	Am Indian-Alaskan	Count	2	0	2
		% within Adult-Ped	.2%	.0%	.2%
	Total	Count	805	1	806
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Dallas



AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	1	3
		% within Sex	.4%	.8%	.4%
	20-24	Count	21	6	27
		% within Sex	3.7%	4.7%	3.9%
	25-29	Count	52	18	70
		% within Sex	9.2%	14.1%	10.1%
	30-34	Count	115	36	151
		% within Sex	20.4%	28.1%	21.9%
	35-39	Count	145	27	172
		% within Sex	25.8%	21.1%	24.9%
	40-44	Count	105	14	119
		% within Sex	18.7%	10.9%	17.2%
	45-49	Count	61	9	70
		% within Sex	10.8%	7.0%	10.1%
	50-54	Count	37	11	48
		% within Sex	6.6%	8.6%	6.9%
	55-59	Count	15	4	19
		% within Sex	2.7%	3.1%	2.7%
	60-64	Count	5	1	6
		% within Sex	.9%	.8%	.9%
	65-69	Count	3	1	4
		% within Sex	.5%	.8%	.6%
	70+	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total		Count	563	128	691
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	249	21	270
		% within Sex	44.2%	16.4%	39.1%
	African American	Count	205	88	293
		% within Sex	36.4%	68.8%	42.4%
	Hispanic	Count	107	17	124
		% within Sex	19.0%	13.3%	17.9%
	Asian-Pacific Islander	Count	2	2	4
		% within Sex	.4%	1.6%	.6%
	Total		Count	563	128
			% within Sex	100.0%	100.0%

a. EMA = Dallas

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	356	0	356
		% within Sex	63.2%	.0%	51.5%
	IDU	Count	38	11	49
		% within Sex	6.7%	8.6%	7.1%
	M-M & IDU	Count	23	0	23
		% within Sex	4.1%	.0%	3.3%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	16	55	71
		% within Sex	2.8%	43.0%	10.3%
	Transfusion	Count	2	4	6
		% within Sex	.4%	3.1%	.9%
	Not Classified	Count	127	57	184
		% within Sex	22.6%	44.5%	26.6%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.8%	.1%
Total	Count	563	128	691	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Dallas

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	269	1	270
		% within Adult-Ped	39.0%	100.0%	39.1%
	African American	Count	293	0	293
		% within Adult-Ped	42.5%	.0%	42.4%
	Hispanic	Count	124	0	124
		% within Adult-Ped	18.0%	.0%	17.9%
	Asian-Pacific Islander	Count	4	0	4
		% within Adult-Ped	.6%	.0%	.6%
Total	Count	690	1	691	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Dallas

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	7	15
		% within Sex	.1%	.5%	.1%
	1 (12-23 mo)	Count	6	1	7
		% within Sex	.0%	.1%	.0%
	2-4	Count	4	4	8
		% within Sex	.0%	.3%	.1%
	5-12	Count	5	3	8
		% within Sex	.0%	.2%	.1%
	13-19	Count	41	21	62
		% within Sex	.3%	1.4%	.4%
	20-24	Count	474	113	587
		% within Sex	3.6%	7.7%	4.0%
	25-29	Count	2097	249	2346
		% within Sex	15.8%	17.1%	16.0%
	30-34	Count	3417	290	3707
		% within Sex	25.8%	19.9%	25.2%
	35-39	Count	3154	310	3464
		% within Sex	23.8%	21.2%	23.6%
	40-44	Count	1951	189	2140
		% within Sex	14.7%	12.9%	14.6%
	45-49	Count	1050	114	1164
		% within Sex	7.9%	7.8%	7.9%
	50-54	Count	536	67	603
		% within Sex	4.1%	4.6%	4.1%
	55-59	Count	279	40	319
		% within Sex	2.1%	2.7%	2.2%
	60-64	Count	116	26	142
		% within Sex	.9%	1.8%	1.0%
	65-69	Count	57	9	66
		% within Sex	.4%	.6%	.4%
	70+	Count	34	17	51
		% within Sex	.3%	1.2%	.3%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	13231	1460	14691
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8402	389	8791
		% within Sex	63.5%	26.6%	59.8%
	African American	Count	3167	878	4045
		% within Sex	23.9%	60.1%	27.5%
	Hispanic	Count	1558	171	1729
		% within Sex	11.8%	11.7%	11.8%
	Asian-Pacific Islander	Count	66	15	81
		% within Sex	.5%	1.0%	.6%
	Am Indian-Alaskan	Count	36	5	41
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	2	2	4
		% within Sex	.0%	.1%	.0%
	Total	Count	13231	1460	14691
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	10200	0	10200
		% within Sex	77.1%	.0%	69.4%
	IDU	Count	758	371	1129
		% within Sex	5.7%	25.4%	7.7%
	M-M & IDU	Count	1070	0	1070
		% within Sex	8.1%	.0%	7.3%
	Hemophiliac	Count	36	0	36
		% within Sex	.3%	.0%	.2%
	Heterosexual Contact	Count	279	539	818
		% within Sex	2.1%	36.9%	5.6%
	Transfusion	Count	82	78	160
		% within Sex	.6%	5.3%	1.1%
	Not Classified	Count	773	456	1229
		% within Sex	5.8%	31.2%	8.4%
	Ped Hemophiliac	Count	10	0	10
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	16	13	29
		% within Sex	.1%	.9%	.2%
	Ped Transfusion	Count	7	2	9
		% within Sex	.1%	.1%	.1%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Total	Count	13231	1460	14691
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	13	8776	2	8791
		% within Adult-Ped	34.2%	59.9%	100.0%	59.8%
	African American	Count	19	4026	0	4045
		% within Adult-Ped	50.0%	27.5%	.0%	27.5%
	Hispanic	Count	5	1724	0	1729
		% within Adult-Ped	13.2%	11.8%	.0%	11.8%
	Asian-Pacific Islander	Count	1	80	0	81
		% within Adult-Ped	2.6%	.5%	.0%	.6%
	Am Indian-Alaskan	Count	0	41	0	41
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	4	0	4
		% within Adult-Ped	.0%	.0%	.0%	.0%
	Total	Count	38	14651	2	14691
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	4	7
		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	2-4	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	5-12	Count	2	2	4
		% within Sex	.0%	.2%	.1%
	13-19	Count	29	18	47
		% within Sex	.5%	1.8%	.7%
	20-24	Count	218	76	294
		% within Sex	3.6%	7.5%	4.2%
	25-29	Count	813	169	982
		% within Sex	13.6%	16.7%	14.0%
	30-34	Count	1500	211	1711
		% within Sex	25.0%	20.9%	24.4%
	35-39	Count	1537	231	1768
		% within Sex	25.6%	22.8%	25.2%
	40-44	Count	957	120	1077
		% within Sex	16.0%	11.9%	15.4%
	45-49	Count	495	82	577
		% within Sex	8.3%	8.1%	8.2%
	50-54	Count	238	48	286
		% within Sex	4.0%	4.7%	4.1%
	55-59	Count	123	24	147
		% within Sex	2.1%	2.4%	2.1%
	60-64	Count	56	13	69
		% within Sex	.9%	1.3%	1.0%
	65-69	Count	16	6	22
		% within Sex	.3%	.6%	.3%
	70+	Count	6	5	11
		% within Sex	.1%	.5%	.2%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	5996	1011	7007
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	3	5
		% within Sex	.0%	.3%	.1%
	13-19	Count	5	4	9
		% within Sex	.1%	.4%	.1%
	20-24	Count	49	21	70
		% within Sex	.8%	2.1%	1.0%
	25-29	Count	194	96	290
		% within Sex	3.2%	9.5%	4.1%
	30-34	Count	574	154	728
		% within Sex	9.6%	15.2%	10.4%
	35-39	Count	1264	227	1491
		% within Sex	21.1%	22.5%	21.3%
	40-44	Count	1655	207	1862
		% within Sex	27.6%	20.5%	26.6%
	45-49	Count	1097	122	1219
		% within Sex	18.3%	12.1%	17.4%
	50-54	Count	608	86	694
		% within Sex	10.1%	8.5%	9.9%
	55-59	Count	308	50	358
		% within Sex	5.1%	4.9%	5.1%
	60-64	Count	147	23	170
		% within Sex	2.5%	2.3%	2.4%
	65-69	Count	61	7	68
		% within Sex	1.0%	.7%	1.0%
	70+	Count	31	11	42
		% within Sex	.5%	1.1%	.6%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total	Count	5996	1011	7007	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3304	217	3521
		% within Sex	55.1%	21.5%	50.2%
	African American	Count	1724	646	2370
		% within Sex	28.8%	63.9%	33.8%
	Hispanic	Count	908	130	1038
		% within Sex	15.1%	12.9%	14.8%
	Asian-Pacific Islander	Count	38	12	50
		% within Sex	.6%	1.2%	.7%
	Am Indian-Alaskan	Count	21	4	25
		% within Sex	.4%	.4%	.4%
	Not Specified	Count	1	2	3
		% within Sex	.0%	.2%	.0%
	Total	Count	5996	1011	7007
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4442	0	4442
		% within Sex	74.1%	.0%	63.4%
	IDU	Count	350	214	564
		% within Sex	5.8%	21.2%	8.0%
	M-M & IDU	Count	405	0	405
		% within Sex	6.8%	.0%	5.8%
	Hemophiliac	Count	10	0	10
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	171	364	535
		% within Sex	2.9%	36.0%	7.6%
	Transfusion	Count	23	31	54
		% within Sex	.4%	3.1%	.8%
	Not Classified	Count	583	393	976
		% within Sex	9.7%	38.9%	13.9%
	Ped Hemophiliac	Count	5	0	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	.1%	.6%	.1%
	Ped Transfusion	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Total	Count	5996	1011	7007
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas



Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	6	3513	2	3521
		% within Adult-Ped	42.9%	50.3%	100.0%	50.2%
	African American	Count	7	2363	0	2370
		% within Adult-Ped	50.0%	33.8%	.0%	33.8%
	Hispanic	Count	1	1037	0	1038
		% within Adult-Ped	7.1%	14.8%	.0%	14.8%
	Asian-Pacific Islander	Count	0	50	0	50
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	25	0	25
		% within Adult-Ped	.0%	.4%	.0%	.4%
	Not Specified	Count	0	3	0	3
		% within Adult-Ped	.0%	.0%	.0%	.0%
	Total	Count	14	6991	2	7007
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**EMA = Dallas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	21	18	39
		% within Sex	.2%	.9%	.3%
	1 (12-23 mo)	Count	1	5	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	6	3	9
		% within Sex	.1%	.1%	.1%
	5-12	Count	11	6	17
		% within Sex	.1%	.3%	.1%
	13-19	Count	83	93	176
		% within Sex	.9%	4.6%	1.5%
	20-24	Count	544	219	763
		% within Sex	5.6%	10.7%	6.5%
	25-29	Count	1361	355	1716
		% within Sex	14.1%	17.4%	14.7%
	30-34	Count	2218	391	2609
		% within Sex	23.0%	19.1%	22.3%
	35-39	Count	2345	405	2750
		% within Sex	24.3%	19.8%	23.6%
	40-44	Count	1535	238	1773
		% within Sex	15.9%	11.6%	15.2%
	45-49	Count	793	144	937
		% within Sex	8.2%	7.0%	8.0%
	50-54	Count	385	92	477
		% within Sex	4.0%	4.5%	4.1%
	55-59	Count	200	36	236
		% within Sex	2.1%	1.8%	2.0%
	60-64	Count	89	20	109
		% within Sex	.9%	1.0%	.9%
	65-69	Count	23	10	33
		% within Sex	.2%	.5%	.3%
	70+	Count	9	6	15
		% within Sex	.1%	.3%	.1%
	Unknown	Count	7	2	9
		% within Sex	.1%	.1%	.1%
Total		Count	9631	2043	11674
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	2	0	2
		% within Sex	.0%	.0%	.0%
	2-4	Count	8	5	13
		% within Sex	.1%	.2%	.1%
	5-12	Count	15	15	30
		% within Sex	.2%	.7%	.3%
	13-19	Count	30	36	66
		% within Sex	.3%	1.8%	.6%
	20-24	Count	222	127	349
		% within Sex	2.3%	6.2%	3.0%
	25-29	Count	604	270	874
		% within Sex	6.3%	13.2%	7.5%
	30-34	Count	1184	345	1529
		% within Sex	12.3%	16.9%	13.1%
	35-39	Count	2087	404	2491
		% within Sex	21.7%	19.8%	21.3%
	40-44	Count	2400	365	2765
		% within Sex	24.9%	17.9%	23.7%
	45-49	Count	1526	206	1732
		% within Sex	15.8%	10.1%	14.8%
	50-54	Count	821	134	955
		% within Sex	8.5%	6.6%	8.2%
	55-59	Count	414	75	489
		% within Sex	4.3%	3.7%	4.2%
	60-64	Count	197	35	232
		% within Sex	2.0%	1.7%	2.0%
	65-69	Count	80	11	91
		% within Sex	.8%	.5%	.8%
	70+	Count	38	13	51
		% within Sex	.4%	.6%	.4%
	Unknown	Count	2	1	3
		% within Sex	.0%	.0%	.0%
Total		Count	9631	2043	11674
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5160	431	5591
		% within Sex	53.6%	21.1%	47.9%
	African American	Count	2876	1312	4188
		% within Sex	29.9%	64.2%	35.9%
	Hispanic	Count	1468	272	1740
		% within Sex	15.2%	13.3%	14.9%
	Asian-Pacific Islander	Count	79	17	96
		% within Sex	.8%	.8%	.8%
	Am Indian-Alaskan	Count	32	7	39
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	16	4	20
		% within Sex	.2%	.2%	.2%
	Total	Count	9631	2043	11674
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6932	0	6932
		% within Sex	72.0%	.0%	59.4%
	IDU	Count	490	360	850
		% within Sex	5.1%	17.6%	7.3%
	M-M & IDU	Count	591	0	591
		% within Sex	6.1%	.0%	5.1%
	Hemophiliac	Count	13	0	13
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	261	682	943
		% within Sex	2.7%	33.4%	8.1%
	Transfusion	Count	29	38	67
		% within Sex	.3%	1.9%	.6%
	Not Classified	Count	1270	930	2200
		% within Sex	13.2%	45.5%	18.8%
	Ped Hemophiliac	Count	10	0	10
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	31	28	59
		% within Sex	.3%	1.4%	.5%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.1%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.1%	.0%
	Total	Count	9631	2043	11674
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	18	5569	4	5591
		% within Adult-Ped	25.4%	48.0%	44.4%	47.9%
	African American	Count	39	4145	4	4188
		% within Adult-Ped	54.9%	35.8%	44.4%	35.9%
	Hispanic	Count	13	1726	1	1740
		% within Adult-Ped	18.3%	14.9%	11.1%	14.9%
	Asian-Pacific Islander	Count	1	95	0	96
		% within Adult-Ped	1.4%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	39	0	39
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	20	0	20
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Total	Count	71	11594	9	11674
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. EMA = Dallas